

# Test Report

Report No.: U01503210304028E

Query Password: QW6597

Date: Mar. 9, 2021

Page 1 of 13

**Applicant:** Shenzhen Wo Silicone Technology Co., Ltd.**Contact information:** 1st Floor, No.42, 2nd Road Hantang, Henggang Town, Longgang District, Shenzhen, China**The following sample(s) was (were) submitted and identified by client as:**

Sample Description : Silicone Stacked Toy  
Packaging Provided : Yes  
Labeled Age Grading : /  
Requested Age Grading : All ages  
Age Group Applied in Testing : All ages  
Sample Received Date : Mar. 4, 2021  
Testing Period : From Mar. 4, 2021 to Mar. 9, 2021  
Test Request : Please refer to next page(s).  
Test Result(s) : Please refer to next page(s).

Signed for and on behalf of Shen Zhen UONE Test Co., LTD.

Prepared by



Thea Ye

Checked by



Nora Deng

Approved by



Levent Liang

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

# Test Report

Report No.: U01503210304028E

Query Password: QW6597

Date: Mar. 9, 2021

Page 2 of 13

---

Summary of Test Results (Tested parts are required partially by client):

**TEST REQUEST****CONCLUSION**

- (1) EN 71-1:2014+A1: 2018 European Standard for Safety of Toys  
Mechanical and Physical Properties
- (2) EN 71-2:2011+A1:2014 European Standard for Safety of Toys  
Flammability
- (3) EN71-3: 2019 European Standard for Safety of Toys  
Migration of Certain Elements (Scraped-off toy material)

**PASS****PASS****PASS**

---

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

# Test Report

Report No.: U01503210304028E

Query Password: QW6597

Date: Mar. 9, 2021

Page 3 of 13

## Test Material(s) List

Material No.	Description	Remark
1	Purple silicone	/
2	Blue silicone	/
3	Light blue silicone	/
4	Green silicone	/
5	Grass green silicone	/
6	Yellow silica gel	/
7	Orange silicone	/
8	Rose purple silicone	/
9	Red silicone	/

## Test Result(s):

### (1) Mechanical and Physical Properties – EN 71-1:2014+A1: 2018

Section	Description	Assessment
4.1	Materials cleanliness	PASS
4.2	Assembly	NA
4.3	Flexible Plastic Sheeting	NA
4.4	Toy Bags	NA
4.5	Glass	NA
4.6	Expanding Materials	NA
4.7	Edges	PASS
4.8	Points and Metallic Wires	PASS
4.9	Protruding Parts	NA
4.10	Parts moving against each other	NA
4.10.1	Folding and sliding mechanisms	NA
4.10.2	Driving Mechanisms	NA
4.10.3	Hinges	NA
4.10.4	Springs	NA

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

# Test Report

Report No.: U01503210304028E

Query Password: QW6597

Date: Mar. 9, 2021

Page 4 of 13

Section	Description	Assessment
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloon	NA
4.13	Cords of Toy Kites and Other Flying Toys	NA
4.14	Enclosures	NA
4.14.1	Toys which a child can enter	NA
4.14.2	Masks and helmets	NA
4.15	Toys intended to bear the mass of a child	NA
4.15.1	Toys propelled by a child or by other means	NA
4.15.2	Toy bicycles	NA
4.15.3	Rocking horses and similar toys	NA
4.15.4	Toys not propelled by a child	NA
4.15.5	Toy scooters	NA
4.16	Heavy immobile toys	NA
4.17	Projectiles	NA
4.17.1	General	NA
4.17.2	All projectiles	NA
4.17.2.1	Leading parts	NA
4.17.2.2	Foam shaft projectiles with a suction cup as a leading part	NA
4.17.2.3	Other types of projectile with a suction cup as a leading part	NA
4.17.3	Projectile toys with stored energy	NA
4.17.3.1	Energy limitation	NA
4.17.3.2	Edges	NA
4.17.3.3	Projectiles with a protective cap, cover or tip	NA
4.17.3.4	Impact resistance	NA
4.17.3.5	Improvised projectiles	NA
4.17.4	Certain projectile toys without stored energy	NA
4.17.4.1	Darts	NA
4.17.4.2	Bows and arrows	NA

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

# Test Report

Report No.: U01503210304028E

Query Password: QW6597

Date: Mar. 9, 2021

Page 5 of 13

Section	Description	Assessment
4.17.4.3	Toy catapults and projectiles propelled by an elastic band	NA
4.17.4.4	Projectile toys without stored energy where the discharge mechanism can store energy, only when held in place by the user	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion Caps Specifically Designed for Use in Toys and toys using percussion caps	NA
4.20	Acoustics	NA
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	YoYo-ball	NA
4.25	Toys attached to food	NA
4.26	Toy disguise costumes	NA
4.27	Flying toys	NA
4.27.1	General	NA
4.27.2	Rotors and propellers on flying toys	NA
4.27.3	Rotors and propellers on remote controlled flying toys	NA
5	Toys intended for Children under 36 months	PASS
5.1	General Requirements	PASS
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.4.2	Cords and chains in toys intended for children under 18 months	NA
5.4.2.1	Cords and chains with the potential to tangle	NA
5.4.2.2	Two cords or chains with the potential to tangle	NA
5.4.2.3	Separated cords and chains	NA
5.4.2.4	Free length of cords and chains	NA
5.4.3	Cords and chains in toys intended for children of 18 months or over but under 36 months	NA
5.4.3.1	Cords and chains with the potential to tangle	NA

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

# Test Report

Report No.: U01503210304028E

Query Password: QW6597

Date: Mar. 9, 2021

Page 6 of 13

Section	Description	Assessment
5.4.3.2	Two cords or chains with the potential to tangle	NA
5.4.3.3	Separated cords and chains	NA
5.4.3.4	Free length of cords and chains	NA
5.4.3.5	Cords and chains not suitable for children under 18 months	NA
5.4.4	Fixed loops, tangled loops and nooses	NA
5.4.5	Cords and chains on pull along toys	NA
5.4.6	Electrical cables	NA
5.4.7	Cross-sectional dimension of certain cords	NA
5.4.8	Self-retracting cords	NA
5.4.9	Toys attached to or intended to be strung across a cradle, cot or perambulator	NA
5.4.9.1	Toys intended to be strung across a cradle, cot or perambulator	NA
5.4.9.2	Toys otherwise intended to be attached to a cradle, cot or perambulator	NA
5.5	Liquid Filled Toys	NA
5.6	Speed limitation of electrically driven toys	NA
5.7	Glass and Porcelain	NA
5.8	Shape and Size of certain Toys	PASS
5.9	Toys comprising Monofilament Fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	NA
7	Warning and Instructions for Use	NA
7.1	General	NA
7.2	Warning not intended for Children under 36 months	NA
7.3	Latex Balloon	NA

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

# Test Report

Report No.: U01503210304028E

Query Password: QW6597

Date: Mar. 9, 2021

Page 7 of 13

Section	Description	Assessment
7.4	Aquatic Toys	NA
7.5	Functional Toys	NA
7.6	Hazardous sharp Functional Edges and Points	NA
7.7	Projectiles toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy Kites	NA
7.10	Roller skates, inline skates and skateboards	NA
7.10.1	Roller skates, inline skates and skateboards	NA
7.10.2	Ride-on toys without a braking device	NA
7.10.3	Electrically-driven ride-on toys	NA
7.10.4	Instructions for use	NA
7.11	Toys intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/ electrical experimental set	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.25.1	Flying toys	NA

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

# Test Report

Report No.: U01503210304028E

Query Password: QW6597

Date: Mar. 9, 2021

Page 8 of 13

Section	Description	Assessment
7.25.2	Remote controlled flying toys	NA
7.26	Improvised projectiles	NA
8.3	Torque Test	PASS
8.4	Tension test	PASS
8.5	Drop test	PASS
8.6	Tip over test	NA
8.7	Impact rest	PASS
8.8	Compression test	NA
8.9	Soaking test	NA
8.13	Flexure test	NA
8.24	Kinetic energy of projectiles	NA
8.34	Tension test for magnets	NA
8.42	Determination of projectile range	NA

**Remark:** NA = Not applicable

**Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to the Directive 2009/48/EC-Safety of toys**

Summary table:

	On product	On packaging
CE mark	Absent	Absent
Name & Address & Mark	Absent	Absent
Product ID	Absent	Absent

CE mark, importer / manufacturer mark (name, address), product identification	See Remark
<p><b>Remark 1:</b> Toys made available on the market must bear the CE marking. The CE marking must be subject to the general principles set out in Article 30 of Regulation (EC) No 765/2008. The CE marking must be affixed visibly, legibly and indelibly to the toy, to an affixed label or to the packaging. In the case of small toys and toys consisting of small parts, the CE marking may alternatively be affixed to a label or an accompanying leaflet. Where, in the case of toys sold in counter displays, that is not technically possible, and on condition that the counter display was</p>	

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.



# Test Report

Report No.: U01503210304028E

Query Password: QW6597

Date: Mar. 9, 2021

Page 9 of 13

originally used as packaging for the toy, the CE marking may be affixed to the counter display. Where the CE marking is not visible from outside the packaging, if any, it shall as a minimum be affixed to the packaging. Where specific legislation does not impose specific dimensions, the CE marking must be at least 5 mm high.

**Remark 2:** The manufacturer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy. This requirement applies also to the name and address etc. of any importer.

**Remark 3:** Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.)

## (2) Flammability – EN 71-2:2011+A1:2014

Section	Test Item	Assessment
4.1	General requirements	PASS
4.2	Toys to be worn on the head	NA
4.3	Toys disguise costumes and toys intended to worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft-filled toys	NA

**Remark:** NA = Not applicable

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

# Test Report

Report No.: U01503210304028E

Query Password: QW6597

Date: Mar. 9, 2021

Page 10 of 13

### (3) Migration of Certain Elements

**Test Method:** With reference to EN71-3: 2019, analyzed by Inductively Coupled Plasma Optical Emission Spectroscopy (ICP-OES), Inductively Coupled Plasma Mass Spectrometer (ICP-MS), Gas Chromatograph-Mass Spectrometry (GC-MS) and Ion Chromatograph.

Substance	MDL (mg/kg)	Test Result (mg/kg)				
		1	2	3	4	5
Aluminium (Al)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
Antimony (Sb)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic (As)	0.5	N.D.	N.D.	N.D.	N.D.	N.D.
Barium (Ba)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
Boron (B)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	0.2	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(III) (Cr <sup>3+</sup> )	2.0	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(VI) (Cr <sup>6+</sup> )	0.02	N.D.	N.D.	N.D.	N.D.	N.D.
Cobalt (Co)	1.0	N.D.	N.D.	N.D.	N.D.	N.D.
Copper (Cu)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
Lead (Pb)	2.0	N.D.	N.D.	N.D.	N.D.	N.D.
Manganese (Mn)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)	1.0	N.D.	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium (Se)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
Strontium (Sr)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
Tin (Sn)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
Organic tin☆	0.1	N.D.	N.D.	N.D.	N.D.	N.D.
Zinc (Zn)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
<b>Conclusion</b>		PASS	PASS	PASS	PASS	PASS

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

# Test Report

Report No.: U01503210304028E

Query Password: QW6597

Date: Mar. 9, 2021

Page 11 of 13

Substance	MDL (mg/kg)	Test Result (mg/kg)			
		6	7	8	9
Aluminium (Al)	5.0	N.D.	N.D.	N.D.	N.D.
Antimony (Sb)	5.0	N.D.	N.D.	N.D.	N.D.
Arsenic (As)	0.5	N.D.	N.D.	N.D.	N.D.
Barium (Ba)	5.0	N.D.	N.D.	N.D.	N.D.
Boron (B)	5.0	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	0.2	N.D.	N.D.	N.D.	N.D.
Chromium(III) (Cr <sup>3+</sup> )	2.0	N.D.	N.D.	N.D.	N.D.
Chromium(VI) (Cr <sup>6+</sup> )	0.02	N.D.	N.D.	N.D.	N.D.
Cobalt (Co)	1.0	N.D.	N.D.	N.D.	N.D.
Copper (Cu)	5.0	N.D.	N.D.	N.D.	N.D.
Lead (Pb)	2.0	N.D.	N.D.	N.D.	N.D.
Manganese (Mn)	5.0	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)	1.0	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)	5.0	N.D.	N.D.	N.D.	N.D.
Selenium (Se)	5.0	N.D.	N.D.	N.D.	N.D.
Strontium (Sr)	5.0	N.D.	N.D.	N.D.	N.D.
Tin (Sn)	5.0	N.D.	N.D.	N.D.	N.D.
Organic tin☆	0.1	N.D.	N.D.	N.D.	N.D.
Zinc (Zn)	5.0	N.D.	N.D.	N.D.	N.D.
<b>Conclusion</b>		PASS	PASS	PASS	PASS

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

# Test Report

Report No.: U01503210304028E

Query Password: QW6597

Date: Mar. 9, 2021

Page 12 of 13

## The table of Migration Elements limit:

Substance	Limit (mg/kg)		
	Dry, brittle, powder-like or pliable materials	Liquid or sticky materials	Scraped-off materials
Aluminium (Al)	5625 2250*	1406 560*	70000 28130*
Antimony (Sb)	45	11.3	560
Arsenic (As)	3.8	0.9	47
Barium (Ba)	1500	375	18750
Boron (B)	1200	300	15000
Cadmium (Cd)	1.3	0.3	17
Chromium(III) (Cr <sup>3+</sup> )	37.5	9.4	460
Chromium(VI) (Cr <sup>6+</sup> )	0.02	0.005	0.053
Cobalt (Co)	10.5	2.6	130
Copper (Cu)	622.5	156	7700
Lead (Pb)	2.0	0.5	23
Manganese (Mn)	1200	300	15000
Mercury (Hg)	7.5	1.9	94
Nickel (Ni)	75	18.8	930
Selenium (Se)	37.5	9.4	460
Strontium (Sr)	4500	1125	56000
Tin (Sn)	15000	3750	180000
Organic tin ☆	0.9	0.2	12
Zinc (Zn)	3750	938	46000

### Note:

1. mg/kg = part per million (ppm).
2. N.D. = Not Detected (< MDL).
3. MDL = method detection limit.
4. Calculated concentration of Chromium(III) (Cr<sup>3+</sup>) and Chromium(VI) (Cr<sup>6+</sup>) are based on total Chromium.
5. "☆" = Organic tin include Methyl tin, Butyltin, Dibutyl tin, Tributyl tin, Tetrabutyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin, Triphenyl tin, Dimethyl tin. The migration of organic tin is expressed as tributyltin.

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

# Test Report

Report No.: U01503210304028E

Query Password: QW6597

Date: Mar. 9, 2021

Page 13 of 13

6. \* = The migration limit for AI has been amended by Commission Directive (EU) 2019/1922. The new limit value applies from 2021 - 5 - 19. Before this date the original limit value applies.

## Photo(s) of Sample:



\*\*\*End of Report\*\*\*

This report is considered invalidated without the Special Seal for Inspection of the UONE, This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample tested.

Without written approval of UONE, this report shall not be copied and published as advertisement.

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.